Cast3M, a multiphysic Finite Element Program opened to the research community

Christian La Borderie

SIAME - University of Pau

Heat, Light and Wind simulation on an urban scale. Anglet, 7th of February 2017

・ 同 ト ・ ヨ ト ・ ヨ ト ・

 Cast3M is a program developed by the French Alternative Energies and Atomic Energy Commission (CEA) whose object is to solve partial derivate equations by the way of finite elements.

・ 同 ト ・ ヨ ト ・ ヨ ト


- Cast3M is a program developed by the French Alternative Energies and Atomic Energy Commission (CEA) whose object is to solve partial derivate equations by the way of finite elements.
- Cast3M is free to download including sources.

- Cast3M is a program developed by the French Alternative Energies and Atomic Energy Commission (CEA) whose object is to solve partial derivate equations by the way of finite elements.
- Cast3M is free to download including sources.
- The civil engineering research community (in particular in France) uses and develops Cast3M.

- Cast3M is a program developed by the French Alternative Energies and Atomic Energy Commission (CEA) whose object is to solve partial derivate equations by the way of finite elements.
- Cast3M is free to download including sources.
- The civil engineering research community (in particular in France) uses and develops Cast3M.
- A new version of the code that includes improvements by researchers is available annually

・ 同 ト ・ ヨ ト ・ ヨ ト

• Mechanics, damage, cracking, plasticity




damage during a splitting test

・ 同 ト ・ ヨ ト ・ ヨ ト

э

• Mechanics, damage, cracking, plasticity ...




Reinforced concrete nuclear containment vessel

▲ (型) ▶ ● (三)

프 🕨 🗆 프

- Mechanics, damage, cracking, plasticity ...
- Fluid mechanics






э

Convection naturelle dans une maquette d'enceinte (2005) Natural convection into a vessel mock-up

イロト イポト イヨト イヨト


- Mechanics, damage, cracking, plasticity ...
- Fluid mechanics



Natural convection into a square cavity

イロト イポト イヨト イヨト

- Mechanics, damage, cracking, plasticity ...
- Fluid mechanics
- Couplings




THMC computation : oxydation of a Re bar

・ 同 ト ・ ヨ ト ・ ヨ ト

э


- Mechanics, damage, cracking, plasticity ...
- Fluid mechanics
- Couplings
- Magnetostatic



・ 同 ト ・ 三 ト ・

프 🕨 🗉 프

- Mechanics, damage, cracking, plasticity ...
- Fluid mechanics
- Couplings
- Magnetostatic
- Heat exchange



Heat exchange in a reactor kernel

▲ □ ▶ ▲ 三 ▶ .

э

э

GIBIANE object oriented language

```
DEBPROC BUILDING L X+FLOTTANT L Y+FLOTTANT L Z+FLOTTANT;
1
2
```

```
3
    * DEFINITION OF A BUIDING OF DIMENSIONS L X L Y L Z CENTERED AT 0 0 0:
```

```
4
```

```
5
     DENSITE 0.3:
6
     P1=(-0.5 \star L X) 0. 0.;
 7
    VECX=L X 0. 0.;
8
     VECY=0. L Y 0.;
9
10
     BUILD.4=WALL3:
11
     BUILD.5=WALL4;
12
     BUILD.6=ROOF:
13
     FINP BUILD:
14
      BUILD1 =BUILDING 10 6 8:
```

15

16

< □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □

Fortran like esope language

1	C RAYEN SOURCE CHAT 12/06/07 21:15:58 7389
2	SUBROUTINE RAYEN(modl,mchel1,mchel2,mchel3,errj,mchel4)
3	
4	C ************************************
5	C **** OPERATEUR RAYE ****
6	
7	
8	KABS=0
9	KMATR=1
10	IF (IIMPI.GE.4) WRITE(6,*) 'DEBUT DE RAYT.ESO'
11	if (mchel3.ne.0) then
12	segact mchel2
13	kabs=0
14	kmatr=0
15	do io=1,mchel2.imache(/1)
16	mchaml=mchel2.ichaml(io)
17	segact mchaml
18	do ia = 1, nomche $(/2)$
19	if (nomche(ia).eq. 'TABS') then
20	

ヘロン 人間 とくほ とくほ とう

- Conduction
 - Linear
 - Non linear
 - Steady state
 - Transient

•
$$\rho C_{\rho} \frac{\partial T}{\partial t} - q - div(\lambda \overrightarrow{grad}(T)) = 0$$

ヘロン 人間 とくほ とくほ とう

- Conduction
 - Linear
 - Non linear
 - Steady state
 - Transient
- Convection

•
$$\rho C_p \frac{\partial T}{\partial t} - q - div(\lambda \overrightarrow{grad}(T)) = 0$$

• $\varphi_c = H(T - T_\infty)$

◆□ > ◆□ > ◆豆 > ◆豆 > →

- Conduction
 - Linear
 - Non linear
 - Steady state
 - Transient
- Convection
- Radiation

•
$$\rho C_p \frac{\partial T}{\partial t} - q - div(\lambda \overrightarrow{grad}(T)) = 0$$

• $\varphi_c = H(T - T_{\infty})$
• $\varphi_r = \frac{\sigma \varepsilon_1 \varepsilon_2}{1 - (1 - \varepsilon_1)(1 - \varepsilon_2)} (T_1^4 - T_2^4)$

・ロト ・四ト ・ヨト ・ヨト

- Conduction
 - Linear
 - Non linear
 - Steady state
 - Transient
- Convection
- Radiation
- Phase change, advection

•
$$\rho C_p \frac{\partial T}{\partial t} - q - div(\lambda \overline{grad}(T)) = 0$$

• $\varphi_c = H(T - T_{\infty})$
• $\varphi_r = \frac{\sigma \varepsilon_1 \varepsilon_2}{1 - (1 - \varepsilon_1)(1 - \varepsilon_2)} (T_1^4 - T_2^4)$

・ 同 ト ・ ヨ ト ・ ヨ ト …

Sun heating of a set of buildings


Geometry

- North-South street
- 15 cm of concrete + insulating material
 - $\lambda = 0.2W/(m.K)$
 - $\rho = 2500 kg/m^3$

•
$$C_p = 1000 J/(kg.K)$$

•
$$H_v = 10 J / (m^2 K)$$

•
$$H_h = 2J/(m^2.K)$$



GIBI PECIT

Sun view of the street

< 🗇

э

э

Heating of a set of buildings

hypothesis

- position of the sun at Anglet on 4th of February 2017^a
- sunny day (was unreal)
- Irradiance of solar radiation^b $S_{pb} = S_{p0}\tau^m$ $(S_{p0} = 1.367 W/m^2, \tau \approx 0.6)$

•
$$m = m_0 P_a / P_0 \approx m_0$$


• $m0 = \sqrt{1229 + 614 \sin^2 \psi - 614 \sin \psi}$ with ψ : zenith angle

^aSunearthtool. Calcul de la position du soleil dans le ciel pour chaque emplacement à importe quel moment. Web.

^bBenoit Beckers, ed. Solar energy at urban scale. 2012.

・ロト ・同ト ・ヨト ・ヨト

Boundary conditions



Indoor

◆□ > ◆□ > ◆豆 > ◆豆 > →

æ

• Temperature

20

Boundary conditions

0847F < 2.34E-05 0.008+00 2.34E-05 2.44E-05 2.44E-05 2.44E-05 2.44E-05 1.94E-05 1.94E-05 1.94E-05 1.94E-05 1.54E-05 1.144E-05 1.145E-05 1.145E-05

æ


ヘロト 人間 とくほとくほとう

HEATING AT 7.3000 hours

C. La Borderie Cast3M Multiphysics HLW'7

- Temperature
- Sun heating


Temperature of external faces of buildings



temperature at 0.16696 h

ヘロア 人間 アメヨア 人口 ア

Temperature of external faces of buildings



temperature at 0.16696 h

ヘロン ヘアン ヘビン ヘビン

Conclusions and perspectives

- Multiphysics Finite Element code
- Numerous possibilities of geometrical modeling
- Oriented towards research and innovation
- Opened to users

通 とう ほうとう ほうとう