



HAL
open science

Holistic approach to understand how teleost fish scales fulfill their biological function -from nano to macro structure organization

Arnaud Petitpas, Judith Veillon, Laurent Rubatat, Virginie Pellerin, Peter Moonen, Susana C.M. Fernandes

► To cite this version:

Arnaud Petitpas, Judith Veillon, Laurent Rubatat, Virginie Pellerin, Peter Moonen, et al.. Holistic approach to understand how teleost fish scales fulfill their biological function -from nano to macro structure organization. *Biomaterials, Biodegradables and Biomimetics - 3Bs Materials 2024, SET-COR*, Mar 2024, Séville, Spain. hal-04782171

HAL Id: hal-04782171

<https://univ-pau.hal.science/hal-04782171v1>

Submitted on 14 Nov 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Holistic approach to understand how teleost fish scales fulfill their biological function - from nano to macro structure organization

A. Petitpas^{1,2}, J. Veillon^{1,2}, L. Rubatat¹, P. Moonen^{3,4}, V. Pellerin¹, S.C.M. Fernandes^{1,2}

¹IPREM, Université de Pau et des Pays de l'Adour, CNRS, Pau, France

²MANTA chair (E2S-UPPA), Université de Pau et des Pays de l'Adour, Anglet, France

³LFCR, Université de Pau et des Pays de l'Adour, Pau, France

⁴DMEX, Université de Pau et des Pays de l'Adour, Pau, France

Abstract:

The United Nation's Food and Agriculture Organization (FAO) 2022 report on "The State of World Fisheries and Aquaculture" estimates that processed fish generate up to 70% of wastes [1]. Among those, fish scales represent a large portion of the waste that is not yet valorized. A better understanding of the structure from nano to macroscale, including the composition of fish scales is then very important for the upcycling of this by-product. To this end, we chose to focus on 3 species from different environments: tilapia (*Oreochromis niloticus*) which is raised in freshwater, and salmon (*Salmo salar*) and sardine (*Sardina pilchardus*) that spend most of their life in marine water. Teleost fish scales have already been identified as composites made of Type I collagen fibers organized in layers and mineralized with hydroxyapatite [2]. We discovered these fiber orientations change within the entire surface of the fish scale. A complete mapping, using synchrotron Small Angle X-ray Scattering (SAXS), has been successfully performed on the 3 species revealing a high ordering at nanoscale and orientational heterogeneities between scale's center and edges (Figure 1). In addition, X-ray micro computed tomography (micro-CT) has shown congruent information with a thinning of the scales thickness on the edges, suggesting a decreasing number of collagen layers when the distance to the focus area increase. Furthermore, highly mineralized spots have been sighted for the first time in the internal collagen layers of the focus area of tilapia's scales. The composition of fish scales was evaluated using thermogravimetric analysis (TGA), Fourier transform infrared spectroscopy with attenuated total reflectance mode (FTIR-ATR), scanning electron microscopy coupled with energy dispersive X-ray spectrometry (SEM-EDX), elemental analysis CHNS and amino acids analysis. Variations of collagen/mineral ratio and collagen content have been highlighted and correlated to environmen-

tal constrains as seawater and freshwater species display some differences. This study also investigated the mechanical properties of teleost fish scales with tensile tests. These results offer perspectives for valorizing teleost fish scales as source of native collagen and for mimicking the scales' 3D structure for novel materials developments.

Keywords: fish scale, collagen, hydroxyapatite, 3D structure, composition, teleost, upcycling.




Figure 1: Combination of techniques, e.g micro-CT, SAXS and SEM-EDX, for the structural and composition analysis of a teleost fish scale - *Salmo salar*: 3D image is from micro-CT ; (A) and (B) locate two X-ray spots, anterior and posterior scale areas, with the corresponding SAXS patterns, respectively, where the X-ray beam hit for SAXS analysis ; (C) is a cross section of the anterior area observed with SEM-EDX, where the bi-layer structure collagen/mineral is visible.

References:

- [1] FAO, 2022, The State of World Fisheries and Aquaculture 2022, Towards Blue Transformation, Rome.
- [2] Quan, H.; Yang, W.; Lapeyriere, M.; Schaible, E.; Ritchie, R.O.; Meyers, M.A. Structure and Mechanical Adaptability of a Modern Elasmoid Fish Scale

from the Common Carp. *Matter* **2020**,
3, 842–863.